

International Maximum Residue Limits (MRL) for Insecticides/Miticides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. See Notes below table for MRLs in coloured cells.

Insecticides		Country (See Introduction Notes)																		
Common Names	Trade Name(s)	PHI Canada (days)	Canada	Australia	Austria	Bangladesh	Belgium	Brazil	Chile	China	Codex	Columbia	Costa Rica	Denmark	Ecuador	European Union*	France	Germany	Hong Kong	India
acetamiprid	Assail	7	1.2	1	See EU MRLs	See Codex MRLs	See EU MRLs	See Codex MRLs	See Codex MRLs	2	1.5	See Codex MRLs	See US and Codex MRLs	See EU MRLs	See US and Codex MRLs	1.5	See EU MRLs	See EU MRLs	1.2	1.5
bifenazate	Acramite	7	2.5	2.5						2	2					2			2	
carbaryl	Sevin XLR	2	10	5																
chlorantraniliprole	Altacor	10	2.5	1						1	1									
clothianidin	Clutch	7	0.8	5							0.2									
cyantraniliprole	Exirel	3	6	0.05							6									
cypermethrin	Mako	2	0.2	1						2	2									
dimethoate	Cygon, Lagon	21	2	0.2						2	2									
flonicamid	Beleaf	14	0.6	0.6							0.9									
flupyrodifurone	Sivanto	14	1.5																	
imidacloprid	Admire, Alias	10	3	0.5							4									
malathion	Malathion 85E	3	6	2							3									
methoxyfenozide	Intrepid	7	6	3							2									
novaluron	Rimon	14	8								7					7				
pyridaben	Nexter	7	3	0.5																
spinetoram	Delegate	5	1	0.2																
	Success, Entrust,																			
spinosad	GF-120	3	1	1							0.2					0.2				
spirodiclofen	Envidor	7	1	1												2				
spirotetramat	Movento	7	4.5	4.5							3					3				
sulfoxaflur	Closer	7	3	3			1.5													
sulfoxaflur + spinetoram	TwinGuard	7	3, 0.2	3, 0.2			3, 1.5													

thiamethoxam	Actara	14	0.5	0.5						1.0					0.6			1	1
--------------	--------	----	-----	-----	--	--	--	--	--	-----	--	--	--	--	-----	--	--	---	---

* European Union - see Introductory Notes for full list of member nations.

PH = post harvest

Temporary registration

Applications for 2017 Emergency Use Permits approved for Mako and Malathion 85E for control of spotted wing drosophila.

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.

International Maximum Residue Limits (MRL) for Insecticides/Miticides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. MRLs 0.1 ppm or less indicate active is not approved and default ppm in place.

Insecticides	Country (See Introduction Notes)																			
	Indonesia	Italy	Japan	Malaysia	Mexico	Netherlands	New Zealand	Norway	Philippines	Russia	Singapore	South Korea	Spain	Sweden	Switzerland	Taiwan	United Kingdom	USA	Viet Nam	
Common Names																				
acetamiprid	1.5		5				1.5	1.5				0.2					1.5	1	1.5	1.2
bifenazate			2				2	2		2		0.3					2	2	2	2.5
carbaryl			10				3	0.01				1					0.01	1	0.01	10
chlorantraniliprole			1				1	1		1		1					1	0.5	1	3
clothianidin			5					0.01		0.2		0.2					0.1	1	0.03	
cyantraniliprole			6				6	0.01		1.5		6					6		6	6
cypermethrin (zeta)			2					2		0.1		1					2	2	2	1
dimethoate	2		2				2	0.2		2		2					0.2	0.01	0.2	2.0
flonicamid			2				0.9	0.3				0.1					0.3	0.01	0.4	0.6
flupyrodifurone			0.01				0.01	0.01				0.3							0.01	1.5
imidacloprid			2				4	0.5		0.5		3					0.5	0.5	0.5	3
malathion			6				8	0.02		0.5		0.5					0.02	0.5	0.02	8
methoxyfenozide			2				2	0.02				2					2	2	2	3
novaluron			7				7	7				0.7						2	7	8
pyridaben			0.7				0.1	2.5				1					2.5	0.5	2.5	3
spinetoram			0.5				0.2	0.2				0.2					0.05	0.2	0.05	0.3
spinosad			0.2				1	1		1		0.2					0.2	0.2	0.2	0.2
spirodiclofen			3				2	2		0.5		2					2	0.8	2	1
spirotetramat			3				3	3		3		3					3	3	3	4.5
sulfoxaflur							0.1	0.01				1.5					0.01		0.01	3
sulfoxaflur + spinetoram							0.2	0.2, 0.1				1.5, 0.05					0.1		0.05	3, 0.3

thiamethoxam		5			1	1				1			1	0.5	0.6	0.5	
Temporary registration			Regional tolerance applicable for Idaho, Utah, Washington and Montana only														
Applications for 2017 Emergency Use Permits approved for Mako and Malathion 85E for control of spotted wing drosophila.																	

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.

International Maximum Residue Limits (MRL) for Herbicides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. MRLs 0.1 ppm or less indicate active is not approved and default ppm in place.

Herbicides		Country (See Introduction Notes)																											
Common Names	Trade Name(s)	PHI Canada	Canada	Australia	Austria	Bangladesh	Belgium	Brazil	Chile	China	Codex	Columbia	Costa Rica	Denmark	European Union	France	Germany	Hong Kong	India	Indonesia									
2, 4-D	2, 4-D		0.05		See EU MRLs	See Codex MRLs	See EU MRLs	See Codex MRLs	See Codex MRLs		0.05	See Codex MRLs	See Codex and US MRLs	See EU MRLs	0.05	See European Union MRLs	See European Union MRLs	0.05	0.05										
carfentrazone	Aim		0.1	0.05																				0.01				0.1	
dichlobenil	Casoron		0.1	0.1																								0.15	
flumioxazin	Chateau	60	0.02																	0.02				0.02				0.02	
glufosinate-a	Ignite	14	0.2	0.05																0.15				0.5				0.05	0.15
glyphosate	various		0.1	0.2																				0.1				0.2	
indaziflam	Alion		0.01																										
S-metolachlor	Dual		0.1																					0.05					
paraquat	Gramoxone		0.05	0.05																0.01				0.02				0.01	0.01
pendimethalin	Prowl		0.1	0.05																				0.05					

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.

International Maximum Residue Limits (MRL) for Herbicides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. MRLs 0.1 ppm or less indicate active is not approved and default ppm in place.

Herbicides	Country (See Introduction Notes)																								
	Italy	Japan	Malaysia	Mexico	Netherlands	New Zealand	Norway	Philippines	Russia	Singapore	South Korea	Spain	Sweden	Switzerland	Taiwan	United Kingdom	USA	Viet Nam							
2, 4-D	See European Union MRLs	0.2	See Introduction - Special Notes	See Codex MRLs	See European Union MRLs	1	0.05	See CODEX MRLs		See Codex MRLs	0.05	See European Union MRLs	See European Union MRLs	0.05	0.2	0.01	0.05	See Codex MRLs							
carfentrazone		0.1									0.01											0.01		0.01	0.1
dichlobenil																			0.15					0.01	0.15
flumioxazin		0.02												0.05	0.5							0.02		0.01	0.02
glufosinate-a		0.3									0.05			0.5		0.2			0.15			0.5	0.1	0.15	0.25
glyphosate		0.2									0.01			0.1		0.3						0.1	0.2	0.1	0.2
indaziflam														0.01											0.01
S-metolachlor		0.1												0.05								0.05	0.01	0.05	
paraquat		0.05									0.05			0.02					0.01			0.02	0.01	0.02	0.02
pendimethalin		0.05									0.05			0.05								0.05	0.01	0.05	0.1

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.

International Maximum Residue Limits (MRL) for Fungicides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. MRLs 0.1 ppm or less indicate active is not approved and default ppm in place.

Fungicides		Country (See Introduction Notes)																				
Common Names	Trade Name(s)	PHI Canada(days)	Canada	Austria	Australia	Bangladesh	Belgium	Brazil	Chile	China	Codex	Columbia	Costa Rica	Denmark	Ecuador	European Union*	France	Germany	Hong Kong	India		
boscalid	Cantus	0	1.7	See European Union MRLs	3	See Codex MRLs	See European Union MRLs	See Codex MRLs	See Codex MRLs		3	See US and Codex MRLs	See US and Codex MRLs	See European Union MRLs	See US and Codex MRLs	4	See European Union MRLs	See European Union MRLs	3.5	3		
captan	Captan	2	5		15						25					25				6	50	15
chlorothalonil	Bravo	40	0.5		10											3				0.01	0.5	3
fenbuconazole	Indar	1	0.8		1						1					1				1	1	1
fenhexamid	Elevate	1	6		10						7					7				7	10	7
fludioxonil	Scholar	PH	5		5											5				5	5	5
fluxapyroxad	Sercadis	0	3		2											3				3	3	3
iprodione	Rovral	1	5		10											10				10	10	10
metrafenone	Vivando	7	2																			
myclobutanil	Nova	1	1		5											3				3	2	3
penthiopyrad	Fontelis	0	4		5											4				4		4
propiconazole	Topas	3	4		2															0.01	2	
pyraclostrobin	Cabrio	10	0.7		2.5											3				3	1	3
quinoxifen	Quintec	7	0.7		0.7						0.4					0.4				0.3	0.7	0.4
thiophanate methyl/ carbendazim	Senator	1	5		20						0.5					10				0.3	10	10
trifloxystrobin	Flint	1	2		5											3				3	3	3
triforine	Funginex	Bloom spray	n/a		10																2	

* European Union - see Introductory Notes for full list of member nations.

PH = post harvest treatment

Temporary registration

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.

International Maximum Residue Limits (MRL) for Fungicides Applied to Cherry

Blank cells indicate no national MRL established based on author's search. Check Special Notes to determine if alternative MRL standards are used by the country. MRLs 0.1 ppm or less indicate active is not approved and default ppm in place.

Fungicides	Country (See Introduction Notes)																		
Common Names	Indonesia	Italy	Japan	Malaysia	Mexico	Netherlands	New Zealand	Norway	Philippines	Russia	Singapore	South Korea	Spain	Sweden	Switzerland	Taiwan	United Kingdom	USA	Viet Nam
boscalid			3				3	4		3		4			4	1.7	4	3.5	
captan	25		5				25	5		25		5			6	25	6	50	
chlorothalonil	0.5		0.5				10	0.01		0.5		3.0			0.01	0.5	0.01	0.5	
fenbuconazole	1		1				1	1		1		2			1	1	1	1	
fenhexamid	10.0		10				7	5		7		5			7	7	7	10	
fludioxonil			5				5	5		5		5			5	5	5	5	
fluxapyroxad			3				3.00	0.01				3			3	2	3	3	
iprodione	10		10				10	3		10		10			10	5	10	20	
metrafenone			2.0				0.1	0.01				0.05					0.01	2	
myclobutanil			2				2	1		2		2			3	1	3	5	
penthiopyrad			5				4	4				0.2			4	4	4	4	
propiconazole			1				0.1	0.05				2			0.01	1	0.01	4	
pyraclostrobin	3		3				3	3		1		2			3	1	3	2.5	
quinoxifen	0.4		0.4				0.4	0.3		0.4		0.4			0.3	0.4	0.3	0.7	
thiophanate methyl/ carbendazim			3				10	0.3		0.5		10			0.3	5	0.3	20	
trifloxystrobin			3				3	1		1		2			3	3	3	2	
triforine			2				3	0.01				2				0.01	0.01		

Temporary registration

Disclaimer: The information provided in this database is believed to be accurate as at the date of the document. The material has been drawn from a number of sources and is published in good faith. Although the author has exercised due care and skill in the preparation and compilation of the information and data set out in this publication, it does not warrant its accuracy, completeness, currency or suitability for any purpose. To the maximum extent permitted by law, the author, the B.C. Fruit Grower's Association (BCFGA), and the BC Cherry Association (BCCA) disclaims all liability, including liability for any negligence, for any loss, damage, injury, cost of expense incurred by any person as a result of accessing, using or relying upon any of the information or data set out in this document.